REPORT DOCUMENTATION PAGE

Form Approved
OMS No. 0704-0188

Public reporting burden for this collection of information is estimated to everage 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Washington Headquerters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Artington, VA. 22208-4302, and to the Office of Management and Burdent, Pagesness's Reduction Project (0704-0188), Washington, UC. 200509.

Octobrigation, Comparison, 711 again, 771 again,		andar' Laberanir Legitranii Mah	(OVOPOTRO), WERRINGTON, DC 20003.
1. AGIENCY USE ONLY (Leave blank)	2. REPORT DATE, 1/14/00 con of CIT for Over Inhancement	2. REPORT TYPE AND	DATES COVERED 11/1/96 - 10/31/99
4 TITLE AND SUSTIFILE Graluet	ion of CIT for Over	-the-Horizon	8. FUNDING NUMBERS
Radai 8	Inhancement		N00014-97-1-0159
6. AUTHOR(S)			Noodi ii ii ii ii ii
Helen Na			
7. PERFORMING ORGANIZATION NAME	• •		8. PERFORMING ORGANIZATION REPORT NUMBER
•	UCLA		HN-ONRYI
		Iniversity of	• •
	California,		l
	405 Hilgard		4 07 1 0410)
9. SPONSORING / MONITORING AGENC	LOS ARRELES	CA 90095 (NO001	
			16. SPONSORING / MONITORING AGENCY REPORT NUMBER
Office of Naval Rese	arca		
Ballston Tower One			
800 North Quincy St.			
Arlington, VA 22217-	J00U		
11. SUPPLEMENTARY NOTES			
Attached papers			
a. DISTRIBUTION/AVAILABILITY STAT	EMENT		12. DISTRIBUTION CODE
Public Distribution			
13. ABSTRACT (Meximum 200 words)			I
	on the development.	characteriestion	and implementation of
algorithms for time	varving inchesheric	imaging. Savare	l techniques were used
including neural net	work based approaches	-wageug. Jevela for impoint los	a recumiques were used
events, an iterative	volumetric approach	tor three-wise IOC	densi impoins that
enables localized in	corporation of a neighbor	rot information	and a technique that
utilizes both TEC da	ta as well as informa	tion from the UC	RT evetem Consideration
effort was made to a	naluze the etrenothe	canna mosta pus	BI system. Considerable f the various approaches
and their inherent 1	imitations. Tests we	enu wearnesses (r rue various approaches
simulated data.		re made ASTIR DO	en reat and
- more an an an an an an and an and an and an and an			
•			
14. SUBJECT TERMS			16. NUMBER OF PAGES
Computerized Ionosphe	ric Tomography		16. PRICE CODE
			100 THUE VALLE
17. SECURITY CLASSIFICATION OF REPORTUNC lassified	8. SECURITY CLASSIFICATION OF THIS PAGE Unclassifi	19. SECURITY CLASSIFICA	ATION 20. LIMITATION OF ABSTRACT assified UL
	,		マンマニエ マン こうしょう こうしょう こうしょう こうしょう こうしょう マンコー こうしゅう しょうしゅう しょうしゅう しゅうしゅう マンス・スティン しゅうしゅう しゅう

Final Report for ONR N00014-97-1-159

The research performed under this grant has focused on the development, characterization and analysis of algorithms for imaging the ionosphere. Research has also been performed on developing a time-varying imaging algorithm, capable of examining time varying ionospheric features. This is key for future studies of the Elayer. In addition, research was performed on techniques for incorporating multiple sources of ionospheric data, as would be available from a ROTHR site. Details on various components are below.

First, we developed a novel neural network based approach to imaging ionospheric motion. The algorithm employs neural networks as estimators of a time varying electron density distribution; however the networks are not used to estimate the electron densities directly but rather the change in electron densities at each time step.

At each time step, the method consists of four main parts. First, a ray tracing procedure is used to calculate ray path information for the current time step; this information is used to determine the expected measurement values based on the last time step. Second, the expected measurement values are subtracted from the actual measurement values. This information, along with the ray path geometry, is then preprocessed so that it can be used by the neural network. Third, the neural network is trained using the pre- processed data. Fourth, the network is used to produce an electron density estimate for the current time step.

Preliminary experimental results indicate that ionospheric electron density estimation using this method is both computationally feasible in real time and capable of producing reasonable reconstructions given the proper choice of neural network. In particular, a two layer neural network trained used the Levenberg-Marquardt method was found to be capable of locating a localized time-varying Gaussian depletion type ionospheric disturbance based only on very sparse data.

Second, we have worked on the development of a new fully 3D reconstruction algorithm for CIT, capable of combining some of the available measurement sources in order to compensate for the unavoidable physical limitations of the acquisition system.

The main features of the algorithm are:

a) Fully 3D reconstruction with arbitrary voxel size. b) Real-time system geometry computation in spherical coordinates. c) Direct (non-iterative) reconstruction based on a least-squares inversion method. d) Physical constraints (e.g. non-negativity of the electron density) and RADAR measurements (e.g. WSBI data) introduced as boundary conditions for the least-squares algorithm. e) No a priori information on the electron density distribution required. f) Ready for acquisition system extension to occultation measurements. When satellite occultation TEC measurements will become available an interface is ready to include them in the reconstruction algorithm system matrix. g) Choice of parameters is minimized. Raw estimates of the measurement errors are the

20000124 003

only parameters necessary to run the whole algorithm. At this time most of the software features are operative. The package includes a fast 3D ray-tracing algorithm capable of computing a system matrix with arbitrary voxel sizes in real time and storing it in a compressed sparse form.

The bounded least squares problem engine has been tested and optimized for the given problem. A technique to improve the sparseness of the intermediate results generated in the inversion process is under construction. This represents at the moment the factor that limits the size of the system matrix, which can be used without incurring in unacceptable memory requirements.

The inclusion of non-TEC measurement data, e.g. WSBI data, is under development in this stage. On the other side the algorithm gave very promising results simply adding some simple physical constraints in the reconstruction algorithm.

Finally, we worked on developing and implementing CVT (CREDO-VSIRT Technique), studies on the incorporation of WSBI data into VSIRT, and reconstructions for simulated and real data.

The studies on the incorporation of WSBI data into VSIRT entailed understanding the weaknesses of both CREDO and VSIRT, and finding ways to use the strengths of each for the benefit of better reconstructions. Some of the techniques include the initial guess method, the control point method and the method of doing the WSBI inversion within VSIRT.

In the area of reconstructions, the most important result was the simulated test of detecting an E-layer using VSIRT. This test proved that VSIRT was able to pick up an E-layer, but it was only able to do it in a very controlled environment, i.e. ideal station alignment and an E-layer that was quite high in altitude.

Technical details are theses of Robert Granat, Riccardo Boscolo and Rahul Singh.

nd)	REPORT OF	PEPORT OF INVENTIONS AND SUBCONTRACTS (Pursuent to "Patent Binths" Contract Clause) (See Institutions on Patent	S AND SU	IBCONTR.	CTS					Form Approved OMB No 9000-0085	200-0085	
The public reporting burden for the collection of information is settingted to the collection of information is settingted to the collection of information is settingted to the response, including the time for relevant eaching data sources, gathering and maritability the data resided, and completing and partially the burden settings or designed of the formation including any processing the burden settings or designed of the formation including any other provision for enduring the burden settings or the collection of information including any other provision of levels to be supported to say persely to talking to comply with a collection of information if it does not display a current number.	Med to average 1 hour other separat of this coll 1 22202-4512. Respon	per response, including solon of information, in ridents should be swere	the time for read charges and the first feet for the first feet feet feet feet feet feet feet fe	ore instructions in the state of the state o	is off pach.	/ ting data sources, partment of Datens, person shall be suf	gathering and n e. Washington I bject to eny pen	vernaning to Headquarien alty for falling	deta needed Services. Din to comply with	and completing and fevores for Information (a collection of Information)	91, 2007 swing the collection of Describers and Reports in if it does not display a	
PLEASE DO NOT RETURN YOUR COMPLETED FORM TO THIS ADD	FORM TO THE	S ADDRESS. R	ETURN CO	MPLETED F	ORM TO 1	RETURN COMPLETED FORM TO THE CONTRACTING OFFICER.	ETING OF	HCER.				
1.4. NAME OF CONTRACTOR/SUBCONTRACTOR	c. CONTRACT)	1,60	2.4. NAME O	2.4. NAME OF GOVERNMENTPRIME CONTRACTOR	TPRIME CO	NTRACTOR	c. CONTR.	c. CONTRACT NUMBER	g;	3. TYPE OF REPORT(X ans)	PORT(X one)	
מריים	NOW14-71	-								_	X b. FINAL	
Electrical Box 951594	Engineering	4. AWARD DATE (YYYYMMOO)	b. ADDRESS (b. ADORESS (Include ZIP Code)				ਰ	d. AWARD DATE (YYYYMMDD)	_	4. REPORTING PERIOD (TYTYMANDO)	
Los Angeles, CA	90095-1594							-1			19991031	
		SEC	TON I- ST	SECTION 1-SUBJECT INVENTIONS	SHOTH							
5. "BUBLECTINYENTIONS REQUIREDTO BE REPORTEDBY CONTRACTORISUBCONTRACTOR YOR," to anny	EDBY CONTRACTO	MANUBCONTRACT	Off None, so	2								
MAME(S) OF INVENTION(S)		TITLE OF HVB/TION(S)	тон(s)		DISCLOSURE NU PAYENT APPLIC	DISCLOSURE NUMBER, PATENT APPLICATION	PATE	ELECTION TO PALE PATENT APPLICATIONS (X) d.	FRLE TRONG (20	OR ASSIGNMENTO TO CONTRACT	COMPRIMATORY INSTRUMENT OR ASSIGNMENT FORWARDED TO CONTRACTING OFFICER (2)	
					Z Z	PATENT NUMBER	(1) UNITED STATES	1	(2) POREIGN		•	
4		4				ď	(a) YES	a) ON (q)	(a) YES (b) NO	O (a) YES	ON (4)	
NONE	ON	NONE										
(. EMPLOYER OF INVENTORIS) NOT EMPLOYED BY CONTRACTORISUBCONTRACTOR	ORABURCONTRACTI	5			9. ELECTED	FOREIGN COUNT	THES IN WHIC	H A PATEN	TAPPLICATI	G. ELECTED FOREIGN COUNTRIES IN WHICH A PATENT APPLICATION WILL BE FILED		
(1) (a) MANIE OF INVENTOR (LES, Firs, Middle Initial)	(2) (a) NAME OF	(2) (4) NAME OF BIVENTOR (Last, First, Mitche Initial)	Aticale Initial)		(1) TITLE OF ENVENTION	INVENTION		8	POREIGN CC	(3) FOREIGN COUNTRIES OF PATENT APPLICATION	APPLICATION	
(b) NAME OF EMPLOYER	(b) NAME OF EMPLOYER	PLOYER										
(c) ADDRESS OF EMPLOYER (Instats ZP Cody)	(c) ADORESS OF EMPLOY	EMPLOYER (Include ZIP Code)	IP Code)									
SECTION IS SUBCONTRACTOR WARDED BY CONTRACTOR WAS SECTION IN	SEC		- SUBCONTRACTS		a Patery F	(Containings "Patent Rights" clause)						
HARM AF BITACHES CONT.		1		FAR PATENT MONTS	BGHTS*					SUBCONTRACT	SUBCONTRACT DATES (YYYYMMOD)	
NAME OF EGEOMINACTOR(S) ADDRESS A	ADDRESS (Include ZIP Code)	NUMBER(S)	TRACT ENG)	ا ر		DESCRIPTION	description of work to be performed Under Subcontract(s)	TO BE PER STRACT(S)	OMMED		1.	
al	4	ď		(1) CLAUSE NUMBER	(Z) DATE (YYYYMM)		•			(1) AWARD	(2) ESTIMATED COMPLETION	
NONE												
		35	CTON III.	SECTION III - CERTIFICATION	NO.							
. CERTIFICATIONOF REPORTBY CONTRACTORISUBCONTRACTORISM regulad it (X as appropriate))	ONTRACTORics requ	aired it. (X as appropriate	- -	SHALL BUSINESSOR	WESSOr		MON	ROFITORG	NONPROFITORGANIZATION			
i certifythat the reportingparty has proceduredor promptidentificablect inventions "have been reported.	redor prompti	dentification an	nd timely d	sciosursof	*Subject!	nventions, "t	hat such	procedu	reshavet	cation and timely disclosureof "Subject inventions," that such procedureshave been followed and that all	nd that all	
NAME OF AUTHORIZED CONTRACTOR/BUBICONTRACTOR OFFICER IN THE FIRST ANTI-LE LINES	b. TITLE				c. SIGNATURE	1		1		d. DATE SIGNED		
Na, Helen R.	Associate	Pr	or		عو	XIEL	, Z	7	2	<i>///</i>	100	
ND FORM 882, JAN 1899 (EG)		PREVIOUS	S EDMON	PREVIOUS EDITION MAY BE USED.	9	2	H			,	WHSADOR, Jan 99	